

重组人 IFN- γ 蛋白说明书

说明书编号: DS-Pr-105-A/1

产品名称

通用名称: 重组人 IFN- γ 蛋白英文名称: Recombinant Human IFN- γ Protein

包装规格

规格/货号: 200 μ g / GMP-TL105-0200

产品性能

表达宿主: HEK293 细胞

同义词: Interferon-gamma, Interferon- γ

蛋白序列: Accession # AAH70256 Q24-Q166

分子量: 预测的理论分子量为 17.6kD

纯度: > 90%, 采用 SDS-PAGE 凝胶分析

内毒素: <0.1 EU/ μ g生物活性: 通过其保护人羊膜细胞 (WISH) 免受水泡性口炎病毒 (VSV) 破坏作用的抗病毒能力测定, 这种效应 ED₅₀ ≤ 50 ng/mL

纯化方式: 层析纯化

性状: 白色疏松体

预期用途

IFN- γ 主要是由抗原、有丝分裂原或同种抗原激活的 T 细胞和自然杀伤细胞产生的。干扰素 γ 具有较强的免疫调节功能, 能增强抗原递呈细胞功能, 加快免疫复合物的清除和提高吞噬异物功能, 对淋巴细胞具有双向调节功能, 提高抗体依赖的细胞毒性反应, 增强某些免疫活性细胞 HLA-II 类抗原表达。对肝星状细胞 (HSC) 的活化、增生和分泌细胞外基质具有很强的抑制作用, 并能抑制胶原合成, 促进胶原降解。适用于生产细胞治疗产品。

使用说明

冻干制剂可在 -20°C 保存

如需分装, 可用注射用水、生理盐水、培养基或 PBS 溶解, 溶解后分装成小份, 置于 -20°C 保存期 6 个月, -80°C 保存期 12 个月, 稀释后浓度不低于 100 μ g/mL。避免反复冻融。

注意事项

本产品仅适用于体外细胞培养, 不可直接用于临床治疗。

存储条件

-20°C 保存

有效期限

24 个月

生产企业的名称

北京同立海源生物科技有限公司

住所

北京市大兴区中关村科技园区大兴生物医药产业基地华佗路 50 号院 13 号楼 1 至 3 层

联系方式

400-010-5556

参考文献

1. Wang Y, Dai H, Li H, Lv HY, Wang T, Fu XB, and Han WD (2011) Growth of Human Colorectal Cancer SW1116 Cells Is Inhibited by Cytokine-Induced Killer Cells. *Clinical and Developmental Immunology* 2011 (1740-2522):621414.
2. Sangiolo D, Mesiano G, F Carnevale-Schianca, W Piacibello, M Aglietta and A Cignetti (2009) Cytokine induced killer cells as adoptive immunotherapy strategy to augment graft versus tumor after hematopoietic cell transplantation. *Expert Opin. Biol. Ther.* 9(7):831-840.

说明书编制

核准日期：2023 年 10 月 17 日